

HIKVISION

درباره هایک ویژن

شرکت هایک ویژن (Hikvision) یک شرکت چینی فعال در زمینه تولید تجهیزات مداربسته است. این شرکت کار خود را در سال 2001 در شهر هانگ ژو آغاز کرد و مسیر پیشرفت را با سرعتی بالا طی کرد به طوری که در سال 2014 به عنوان سومین تولید کننده بزرگ تجهیزات حفاظتی امنیتی و اولین تولید کننده تجهیزات مداربسته در جهان شناخته شد.

شرکت هایک ویژن در سال 2013 بیش از 13000 نفر را به صورت مستقیم به اشتغال درآورده که با داشتن تیم تحقیق و توسعه ای 4000 نفری دارای بزرگترین شرکت دارای 30 نماینده محلی در چین و بیش از 16 نماینده بین المللی در جهان است که تجهیزات این شرکت را به طور فعال توزیع می کنند.

تاریخ دژ آریانا

نمایندگی پخش محصولات هایک ویژن



افتخارات هایک ویژن

- سومین تولید کننده بزرگ تجهیزات حفاظتی جهان در سال 2014 و 2015
- اولین تولید کننده دوربین مداربسته و تجهیزات نظارت تصویری در سال 2015
- تولید بیشتر از 20% از کل دستگاه های DVR دنیا
- برندۀ جایزه ملی ZUBR روسیه در سال ۲۰۱۳
- برندۀ جایزه طراحی محصول RED DOT در سال ۲۰۱۲
- برندۀ جایزه طراحی بهترین دوربین IP در Secutech در سال ۲۰۱۲
- برندۀ جایزه "Golden Excellence Award" در CPSE در سال ۲۰۱۱
- برندۀ جایزه FSdays در سال ۲۰۱۰

1080p Entry-Level Series

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020
(خط 20)

1

2

3

4

5

6

Click for More information

DS-2CE56D0T-IRMM

DS-2CE56D0T-IR

DS-2CE56D0T-IRM

DS-2CE56D0T-IT1

DS-2CE56D0T-IT3

DS-2CE56D8T-ITM



Price (Rials)	۳,۹۴۰,۰۰۰	۴,۳۴۰,۰۰۰	۴,۵۷۰,۰۰۰	۵,۰۹۰,۰۰۰	۶,۸۰۰,۰۰۰	Call:88500020
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Imaging Sensor	2MP Prog. CMOS	2MP Prog. CMOS	2MP Prog. CMOS	2MP Prog. CMOS	2MP Prog. CMOS	2MP Prog. CMOS
Resolution	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	HD-TVI	HD-TVI	HD-TVI	HD-TVI	HD-TVI	HD-TVI
Min. Illustration	0.01Lux/F1.2	0.1Lux/F1.2	0.1Lux/F1.2	0.01Lux/F1.2	0.1Lux/F1.2	0.005 Lux/F1.2
Lens	2.8mm Fix	2.8mm Fix	3.6mm/6mm Fix	2.8mm Fix	2.8mm Fix	2.8/3.6/6mm Fix
Viewing Angle	105°/85°	105°/85°	105°/85°	105°/85°	105°/85°	105°/85°/65°
IR Range	Up to 20m	Up to 20m	Up to 20m	Up to 20m (EXIR)	Up to 40m (EXIR)	Up to 20m (EXIR)
Body Type	Plastic	Metal & Plastic	Metal	Plastic	Plastic	Metal
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	Yes (on Coax)
WDR	DWDR	No	DWDR	DWDR	DWDR	Yes (120db)
Power Supply	12V DC	12V DC	12V DC	12V DC	12V DC	12V DC
Other Feathures	Smart IR, 3D DNR, ICR, AGC,BLC	Smart IR, 3D DNR, AGC, BLC, ICR	Smart IR, 3D DNR, ICR, AGC, BLC	Smart IR, 3D DNR, ICR, AGC, BLC	Smart IR, 3D DNR, ICR, AGC, BLC	Smart IR, 3D DNR, ICR

7

8

9

10

11

12

Click for More information

DS-2CE56D8T-ITME

DS-2CE56D8T-IT1

DS-2CE56D8T-IT1E

DS-2CE72DFT-F

DS-2CE56D1T-VFIR3

DS-2CE56D0T-VFIR3E



Price (Rials)	9,040,000	Call:88500020	9,490,000	Call:88500020	11,020,000	11,300,000
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Imaging Sensor	2M Smart FSI CMOS	2MP Prog. CMOS	2M Smart FSI CMOS	2MP Prog. CMOS	2MP Prog. CMOS	2MP Prog. CMOS
Resolution	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	HD-TVI	HD-TVI	HD-TVI	HD-TVI	HD-TVI	HD-TVI
Min. Illustration	0.003 Lux/F1.2	0.005 Lux/F1.2	0.003 Lux/F1.2	0.0005Lux/F1	0.01Lux/F1.2	0.01Lux/F1.2
Lens	2.8mm Fix	2.8/3.6/6mm Fix	2.8mm Fix	3.6mm/6mm Fix	2.8 - 12mm Vari-Focal	2.8 - 12mm Vari-Focal
Viewing Angle	105°	105°/85°/65°	105°	91°/62°	105° - 32°	105°/85°
IR Range	Up to 30m (EXIR)	Up to 20m (EXIR)	Up to 30m (EXIR)	Up to 20m white light distance		Up to 40m
Body Type	Metal	Metal	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic
IP Standard	IP67	IP66	IP67	IP67	IP66	IP66
OSD Menu	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)	No
WDR	Yes (130db)	Yes (120db)	Yes (130db)	Yes (120db)	DWDR	DWDR
Power Supply	12 VDC/built-in PoC	12V DC	12 VDC/built-in PoC	12V DC	12V DC	12 VDC/built-in PoC
Other Features	Smart IR, 3D DNR, HLC, AGC, BLC, ICR	Smart IR, 3D DNR, ICR	Smart IR, 3D DNR, HLC, BLC, ICR	Full time color/4 in 1 video output/3D DNR	Smart IR, 3D DNR, ICR, AGC, BLC	True day/night, BLC, DNR, Smart IR, AGC

13

14

15

16

17

18

Click for More information

DS-2CE16D0T-IR

DS-2CE16D0T-IT1

DS-2CE16D0T-IT3

DS-2CE16D0T-IT5

DS-2CE16D1T-VFIR3

DS-2CE16D0T-VFIR3E



Price (Rials)	۴,۰۶,۰۰۰	۵,۸۰,۰۰۰	۶,۱۴,۰,۰۰۰	۶,۸۴,۰,۰۰۰	Call:88500020	۱۱,۳۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2MP Prog. CMOS	2MP Prog. CMOS	2MP Prog. CMOS	2MP Prog. CMOS	2MP Prog. CMOS	2MP Prog. CMOS
Resolution	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	HD-TVI	HD-TVI	HD-TVI	HD-TVI	HD-TVI	HD-TVI
Min. Illustration	0.01Lux/F1.2	0.1Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2	0.1Lux/F1.2	0.01Lux/F1.2
Lens	2.8 mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8 - 12mm Vari-Focal	2.8 - 12mm Vari-Focal
Viewing Angle	91°	91°	91°/62°	91°/62°	105° - 32°	105° - 32°
IR Range	Up to 20m	Up to 20m (EXIR)	Up to 40m (EXIR)	Up to 80m (EXIR)	Up to 40m	Up to 40m
Body Type	Metal	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal	Metal & Plastic
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	Yes (on Coax)	No
WDR	DWDR	DWDR	DWDR	DWDR	No	DWDR
Power Supply	12V DC	12V DC	12V DC	12V DC	12V DC	12 VDC/built-in PoC
Other Feathures	Smart IR, 3D DNR, AGC, BLC, ICR	Smart IR, 3D DNR, ICR, AGC, BLC	Smart IR, 3D DNR, ICR, AGC, BLC	Smart IR, 3D DNR, ICR, AGC, BLC	Smart IR, 3D DNR, ICR	True day/night, AGC, BLC

1080p High-Level Series

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020
(خط 20)

19

20

21

22

23

24

Click for More information

DS-2CE16D8T-ITE

DS-2CE16D8T-IT3E

DS-2CE10DFT-F

DS-2CE12DFT-F

DS-2CE16D0T-WL5

DS-2CE16D8T-IT3ZE



Price (Rials)	۹,۰۴۰,۰۰۰	۱۰,۸۴۰,۰۰۰	Call:88500020	Call:88500020	۸,۹۱۰,۰۰۰	Call:88500020
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2M Smart FSI CMOS	2M Smart FSI CMOS	2MP Prog. CMOS	2MP Prog. CMOS	2MP Prog. CMOS	2MP Prog. CMOS
Resolution	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	HD-TVI	HD-TVI	HD-TVI	HD-TVI	HD-TVI	HD-TVI
Min. Illustration	0.003 Lux/F1.2	0.003 Lux/F1.2	0.0005Lux/F1	0.0005Lux/F1	0.01Lux/F1.6	0.003Lux/F1.2
Lens	2.8mm Fix	2.8mm Fix	3.6mm/6mm Fix	3.6mm/6mm Fix	2.8mm Fix	9 - 13.5mm Vari-Focal
Viewing Angle	105°	105°	91°/62°	91°/62°	105°	103° - 32.1°
IR Range	Up to 30m (EXIR)	Up to 60m (EXIR)	Upto 20m white light distance	Upto 40m white light distance	50m White light	Up to 80m
Body Type	Metal	Metal	Metal	Metal & Plastic	Metal & Plastic	Metal
IP Standard	IP67	IP67	IP67	IP67	IP66	IP67
OSD Menu	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)	NO	No
WDR	Yes (130db)	Yes (130db)	Yes (120db)	Yes (120db)	NO	Yes (130db)
Power Supply	12 VDC/built-in PoC	12 VDC/built-in PoC	12V DC	12V DC	12V DC	12 VDC/built-in PoC
Other Feathures	Smart IR, 3D DNR, HLC, BLC, ICR	Smart IR, 3D DNR, HLC, BLC, ICR	Full time color/4 in 1 video output/3D DNR	Full time color/4 in 1 video output/3D DNR	Day&Night(Color)	Smart IR

3Mp Series

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020
(خط 20)

25

26

27

28

29

Click for More information

DS-2CE56F1T-ITM

DS-2CE56F1T-IT1

DS-2CE56F1T-IT3

DS-2CE56F1T-IT3Z

DS-2CE56F7T-IT3Z



Price (Rials)	۵,۳۳۰,۰۰۰	۵,۸۶۰,۰۰۰	۶,۱۹۰,۰۰۰	Call: 88500020	۲۲,۵۹۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome	Dome
Imaging Sensor	3MP Prog. CMOS	3MP Prog. CMOS	3MP Prog. CMOS	3MP Prog. CMOS	3MP Prog. CMOS
Resolution	3MP (2048*1536)	3MP (2048*1536)	3MP (2048*1536)	3MP (2048*1536)	3MP (2048*1536)
Signal System	HD-TVI	HD-TVI	HD-TVI	HD-TVI	HD-TVI
Min. Illustration	0.01Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2
Lens	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8 - 12mm Motorized	2.8 - 12mm Motorized
Viewing Angle	105°	105°	105°	105° - 32°	105° - 32°
IR Range	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal	Metal
IP Standard	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	Yes (on Coax)
WDR	No	No	No	No	Yes (120db)
Power Supply	12V DC	12V DC	12V DC	12V DC	12V DC
Other Feathures	Smart IR, 3D DNR, AGC, BLC, ICR	Smart IR, 3D DNR, AGC, BLC, ICR	Smart IR, 3D DNR, AGC, BLC, ICR	Smart IR, 3D DNR, ICR	Smart IR, 3D DNR, AGC, BLC, ICR

	30	31	32	33	34	35
Click for More information	DS-2CE16F1T-IT	DS-2CE16F1T-IT1	DS-2CE16F1T-IT3	DS-2CE16F1T-IT5	DS-2CE16F1T-IT3Z	DS-2CE16F7T-IT3Z
						
Price (Rials)	۵,۳۴۰,۰۰۰	۶,۰۲۰,۰۰۰	۶,۵۳۰,۰۰۰	۷,۲۳۰,۰۰۰	Call:88500020	۲۲,۸۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	3MP Prog. CMOS	3MP Prog. CMOS	3MP Prog. CMOS	3MP Prog. CMOS	3MP Prog. CMOS	3MP Prog. CMOS
Resolution	3MP (2048*1536)	3MP (2048*1536)	3MP (2048*1536)	3MP (2048*1536)	3MP (2048*1536)	3MP (2048*1536)
Signal System	HD-TVI	HD-TVI	HD-TVI	HD-TVI	HD-TVI	HD-TVI
Min. Illustration	0.01Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2
Lens	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8 - 12mm Motorized	2.8 - 12mm Motorized
Viewing Angle	105°	105°	105°	105°	105° - 32°	105° - 32°
IR Range	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 40m (EXIR)	Up to 80m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal	Metal & Plastic
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	Yes (on Coax)
WDR	No	No	No	No	No	Yes (120db)
Power Supply	12V DC	12V DC	12V DC	12V DC	12V DC	12V DC
Other Feathures	Smart IR, 3D DNR, AGC, BLC, ICR	Smart IR, 3D DNR, AGC, BLC, ICR	Smart IR, 3D DNR, AGC, BLC, ICR	Smart IR, 3D DNR, AGC, BLC, ICR	Smart IR, 3D DNR, ICR	Smart IR, 3D DNR, AGC, BLC, ICR

5Mp Series

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020
(خط 20)

36

37

38

39

40

41

[Click for More information](#)

DS-2CE56H1T-IT1

DS-2CE56H1T-ITM

DS-2CE56H1T-ITME

DS-2CE56H1T-IT1E

DS-2CE56H1T-IT3E

DS-2CE56H1T-IT3ZE



Price (Rials)	Call:88500020	Call:88500020	۹,۴۹۰,۰۰۰	۱۰,۸۴۰,۰۰۰	۱۱,۷۵۰,۰۰۰	۱۸,۹۷۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Imaging Sensor	5MP Prog. CMOS	5MP Prog. CMOS	5MP Prog. CMOS	5MP Prog. CMOS	5MP Prog. CMOS	5MP Prog. CMOS
Resolution	5MP(2592*1944)	5MP (2592*1944)	5MP (2592*1944)	5MP (2592*1944)	5MP (2592*1944)	5MP (2592*1944)
Signal System	HDTVI	HD-TVI	HD-TVI	HD-TVI	HD-TVI	HD-TVI
Min. Illustration	0.01 Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2
Lens	2.8/3.6/6mm FIX	2.8/3.6/6mm FIX	2.8mm FIX	2.8mm FIX	2.8mm FIX	2.8 - 12mm Motorized
Viewing Angle	105°/85°/65°	105°/85°/65° Up	105°	105°	105°	105° - 32°
IR Range	Up to 20m (EXIR)	to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)
Body Type	Metal	Metal	Metal	Metal & Plastic	Metal	Metal
IP Standard	IP66	IP66	IP67	IP67	IP67	IP67
OSD Menu	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)
WDR	NO	NO	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC/built-in PoC	12 VDC/built-in PoC	12 VDC/built-in PoC	12 VDC/built-in PoC
Other Feathures	Smart IR, ICR	Smart IR, ICR	Smart IR, ICR, AGC, BLC			

42

43

44

45

46

Click for More information

DS-2CE56H0T-ITMF DS-2CE56H0T-IT1F DS-2CE56H0T-IT3F DS-2CE56H0T-IT3ZF DS-2CE78U8T-IT3



Price (Rials)	¥,...,....	¥,٩٠,....	٨,٥٨٠,....	١٤,١٣٠,....	٢٤,٧٤٠,....
Camera Type	Dome	Dome	Dome	Dome	Bullet
Imaging Sensor	5MP Prog. CMOS	5MP Prog. CMOS	5MP Prog. CMOS	5MP Prog. CMOS 5MP	8MP Prog. CMOS
Resolution	5MP (2592*1944)	5MP (2592*1944)	5MP (2592*1944)	(2592*1944)	8MP (3840*2160)
Signal System	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HD-TVI
Min. Illustration	0.01Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2	0.003 Lux/F1.2
Lens	2.8 mm Fix	2.8mm FIX	2.8mm FIX	2.7 - 13.5mm Motorized	2.8mm FIX
Viewing Angle	105° mm	105°	105°	105° - 32°	105°
IR Range	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 60m (EXIR)
Body Type	Metal	Metal & Plastic	Metal & Plastic	Metal	Metal & Plastic
IP Standard	IP67	IP67	IP67	IP67	IP67
OSD Menu	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)	NO
WDR	DWDR	DWDR	DWDR	DWDR	120db WDR
Power Supply	12 VDC/built-in PoC	12 VDC	12 VDC	12 VDC	12 VDC
Other Feathures	2D DNR, DWDR,4 in 1 video output	Smart IR, ICR, AGC, BLC, 4in1	Smart IR, ICR, AGC, BLC, 4in1	Smart IR, ICR, AGC, BLC, 4in1	Smart IR, ICR

47

48

49

50

51

52

[Click for More information](#)

DS-2CC52H1T-FITS

DS-2CE16H1T-IT

DS-2CE16H1T-ITE

DS-2CE16H1T-IT3

DS-2CE16H1T-IT1E

DS-2CE16H1T-IT3E



Price (Rials)	۳۲,۵۱۰,۰۰۰	Call:88500020	۹,۴۹۰,۰۰۰	Call:88500020	۱۰,۸۴۰,۰۰۰	۱۱,۷۶۰,۰۰۰
Camera Type	Fisheye	Bullet	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	5MP Prog. CMOS	5MP Prog. CMOS	5MP Prog. CMOS	5MP Prog. CMOS	5MP Prog. CMOS	5MP Prog. CMOS
Resolution	5MP (2592*1944)	5MP (2592*1944)	5MP (2592*1944)	5MP (2592*1944)	5MP (2592*1944)	5MP (2592*1944)
Signal System	HD-TVI	HD-TVI	HD-TVI	HD-TVI	HD-TVI	HD-TVI
Min. Illustration	0.01 Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2
Lens	1.1mm	2.8/3.6/6mm FIX	2.8mm FIX	2.8/3.6/6mm FIX	2.8mm FIX	2.8mm FIX
Viewing Angle	180° panoramic view	105°/85°/6°	105°	105°/85°/65°	105°	105°
IR Range	Up to 20m	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 40m (EXIR)	Up to 20m (EXIR)	Up to 40m (EXIR)
Body Type	Plastic	Metal	Metal	Metal	Metal & Plastic	Metal & Plastic
IP Standard	-	IP66	IP67	IP66	IP67	IP67
OSD Menu	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)
WDR	DWDR	NO	DWDR	NO	NO	NO
Power Supply	12 VDC	12 VDC	12 VDC/built-in PoC	12 VDC	12 VDC/built-in PoC	12 VDC/built-in PoC
Other Feathures	Built-in Mic, Smart IR, 1ch audio input	Smart IR, ICR	Smart IR, ICR, AGC, BLC	Smart IR, ICR	Smart IR, ICR, AGC, BLC	Smart IR, ICR, AGC, BLC

53

54

55

56

57

58

[Click for More information](#)

DS-2CE16H1T-IT5E DS-2CE16H1T-IT3ZE DS-2CE16H0T-ITF DS-2CE16H0T-IT1F DS-2CE16H0T-IT3F DS-2CE16H0T-IT3ZF



Price (Rials)	۱۲,۶۴۰,۰۰۰	۱۸,۹۷۰,۰۰۰	۷,۴۶۰,۰۰۰	۸,۱۳۰,۰۰۰	۹,۰۴۰,۰۰۰	۱۵,۰۹۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Dome	Bullet	Dome
Imaging Sensor	5MP Prog. CMOS	5MP Prog. CMOS	5MP Prog. CMOS	5MP Prog. CMOS	5MP Prog. CMOS	5MP Prog. CMOS 5MP
Resolution	5MP (2592*1944)	5MP (2592*1944)	5MP(2592*1944)	5MP (2592*1944)	5MP (2592*1944)	(2592*1944)
Signal System	HD-TVI	HD-TVI	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG
Min. Illustration	0.01 Lux/F1.2	0.01 Lux/F1.2	0.01Lux/F1	0.01 Lux/F1.2	0.01Lux/F1.2	0.01 Lux/F1.2
Lens	3.6mm FIX	2.8 - 12mm Motorized	2.8/3.6/6mm Fix	2.8mm FIX	2.8mm Fix	2.7 - 13.5mm Motorized
Viewing Angle	85°	105° - 32°	105°/85°/65°	105°	105° mm	105° - 32°
IR Range	Up to 80m (EXIR)	Up to 40m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)
Body Type	Metal & Plastic	Metal & Plastic	Metal	Metal & Plastic	Metal & Plastic	Metal & Plastic
IP Standard	IP67	IP67	IP67	IP67	IP67	IP67
OSD Menu	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)	Yes (on Coax)
WDR	NO	DWDR	No	NO	NO	DWDR
Power Supply	12 VDC/built-in PoC	12 VDC/built-in PoC	12V DC	12 VDC	12 VDC	12 VDC
Other Feathures	Smart IR, ICR, AGC, BLC	Smart IR, ICR, AGC, BLC	2D DNR, DWDR,4in1	Smart IR, ICR, AGC, BLC, 4in1	Smart IR, ICR, AGC, BLC, 4in1	Smart IR, ICR, AGC, BLC, 4in1

59

60

[Click for More information](#)

DS-2CE16H0T-IT5F DS-2CE18U8T-IT3



	₮,₼۱۰,۰۰۰	₮,₼۱۰,۰۰۰
Price (Rials)	₮,₼۱۰,۰۰۰	₮,₼۱۰,۰۰۰
Camera Type	Bullet	Bullet
Imaging Sensor	5MP Prog. CMOS	8MP Prog. CMOS
Resolution	5MP (2592*1944)	8MP (3840*2160)
Signal System	HDTVI,AHD,HDCVI,ANLOG	HD-TVI
Min. Illustration	0.01 Lux/F1.2	0.01 Lux/F1.2
Lens	3.6mmFix	2.8/3.6/6mm FIX
Viewing Angle	85°	105°/85°/65°
IR Range	Up to 80m (EXIR)	Up to 60m (EXIR)
Body Type	Metal & Plastic	Metal & Plastic
IP Standard	IP67	IP67
OSD Menu	Yes (on Coax)	NO
WDR	NO	120db WDR
Power Supply	12 VDC	12 VDC
Other Feathures	Smart IR, ICR, AGC, BLC, 4in1	Smart IR, ICR, AGC, BLC

PTZ Cameras

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(خط 20)

61

62

63

64

65

Click for More information

DS-2AE4223T-A

DS-2AE4123TI-D

DS-2AE4223TI-D

DS-2AE5223TI-A

DS-2AE7230TI-A



Price (Rials)	Call:88500020	Call:88500020	Call:88500020	۷۸,۹۹,...	۹۷,۹۰,...
Camera Type	PTZ	PTZ	PTZ	PTZ	PTZ
Imaging Sensor	1.3MP Prog. CMOS	1.3MP Prog. CMOS	2MP Prog. CMOS	2MP Prog. CMOS	2MP Prog. CMOS
Resolution	HD720P	HD720P	HD1080P	1920x1080	1920x1080
Signal System	HD-TVI	HD-TVI	HD-TVI	HD-TVI	HD-TVI
Min. Illustration	0.05Lux/F1.6	0.05Lux/F1.6	0.05Lux/F1.6	0.005lux/F1.4	0.02lux/F1.6
Lens	4-92mm Motorized	4-92mm Motorized	4-92mm Motorized	4-92mm Motorized	4-120mm Motorized
Viewing Angle	23x	23x	23x	23x	30x
IR Range	-	100m	100m	150m	120m
Body Type	Metal	Metal	Metal	Metal	Metal
IP Standard	IP66	IP66	IP66	IP66	IP66
OSD Menu	Yes (on Coax)				
WDR	No	No	No	DWDR	No
Power Supply	24v AC				
Other Feathures	16x Digital Zoom, Auto Focus, 3D DNR, ICR, BLC	16x Digital Zoom, Auto Focus, 3D DNR, ICR, BLC	16x Digital Zoom, Auto Focus, 3D DNR, ICR, BLC	16x Digital Zoom, Auto Focus, 3D DNR, ICR, BLC	16x Digital Zoom, Auto Focus, 3D DNR, ICR, BLC

720p/1080p DVRs

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(خط 20)

66

67

68

69

70

71

Click for More information

DS-7204HQHI-K1

DS-7208HQHI-K1

DS-7208HQHI-K2

DS-7216HQHI-K1

DS-7216HQHI-K2

DS-7224HQHI-K2



Price (Rials)	۱۴,۶۹۰,۰۰۰	۲۰,۸۰۰,۰۰۰	Call:88500020	۳۸,۰۰۰,۰۰۰	Call:88500020	Call:88500020
DVR Type	4+1 Ch. quadruple HybridHD-TVI /AHD/ Analog / IP	8 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	8 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	16+2 Ch. quadruple HybridHD-TVI /AHD/ Analog / IP	16+2 Ch. quadruple HybridHD-TVI /AHD/ Analog / IP	Ch. quadruple HybridHD-TVI /AHD/ Analog / IP
Analog Video Input	4 Ch. HDTVI/Analog Up to 4MP	8 Ch. HDTVI/Analog Up to 4MP	8 Ch. HDTVI/Analog Up to 3MP AHD Up to 2MP	16 Ch. HDTVI/Analog Up to 4MP	16 Ch. HDTVI/Analog Up to 3MP AHD Up to 2MP	24 Ch. HDTVI/Analog Up to 4MP AHD Up to 4MP
IP Video Input	1 Ch. Up to 6MP	2 Ch. Up to 6MP	2 Ch. Up to 4MP	2 Ch. Up to 6MP	2 Ch. Up to 4MP	2 Ch. Up to 4MP
Audio Input/Output	1Ch. In / 1Ch. Out 1920x1080P: 15FPS	1Ch. In / 1Ch. Out 1920x1080P: 15FPS	1Ch. In / 1Ch. Out 1920x1080P: 15FPS	1Ch. In / 1Ch. Out 1920x1080P: 15FPS	1Ch. In / 1Ch. Out 1920x1080P: 15FPS	1Ch. In / 1Ch. Out 1920x1080P: 15FPS
Recording	1280x720P: 25 FPS	1280x720P: 25 FPS	1280x720P: 25 FPS	1280x720P: 25 FPS	1280x720P: 25 FPS	1280x720P: 25 FPS
Video Output	FPSWD1,D1,CIF: 25 FPS 1 Port HDMI 1080P	FPSWD1,D1,CIF: 25 FPS 1 Port HDMI 1080P	FPSWD1,D1,CIF: 25 FPS 1 Port HDMI : 1080P	FPSWD1,D1,CIF: 25 FPS 1 Port HDMI : 4K	FPSWD1,D1,CIF: 25 FPS 1 Port HDMI : 1080P	FPSWD1,D1,CIF: 25 FPS 1 Port HDMI : 1080P
SATA Interface	1 Port VGA, 1Ch. CVBS	1 Port VGA, 1Ch. CVBS	1 Port VGA : 1080P 1Ch. CVBS: WD1	1 Port VGA 1Ch. CVBS	1 Port VGA : 1080P 1Ch. CVBS: WD1	1 Port VGA : 1080P 1Ch. CVBS: WD1
Network Interface	1 HDD up to 10TB	1 HDD up to 10TB	2 HDD up to 6TB	1 HDD up to 10TB	2 HDD up to 6TB	2 HDD up to 8TB
Chassis	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 100M	1 RJ45 100M
Other Features	Standalone 1U H.265/H.265+ Compression, ONVIF, VCA, Smart Search	Standalone 1U H.265/H.265+ Compression, ONVIF, VCA, Smart Search	Standalone 1U H.265/H.265+ Compression 4K UHD output	Standalone 1U H.265/H.265+ Compression, ONVIF, VCA, Smart Search	Standalone 1U H.265/H.265+ Compression 4K UHD output	Standalone 1U H.265/H.265+ Compression 4K UHD output

[Click for More information](#)

DS-7232HQHI-K2



Price (Rials)

Call:88500020

DVR Type

Ch. quadruple HybridHD-TVI
/AHD/ Analog / IP

Analog Video Input

32 Ch. **HDTVI/Analog**
Up to 4MP
AHD Up to 4MP

IP Video Input

2 Ch. Up to 4MP

Audio Input/Output

1Ch. In / 1Ch. Out
1920x1080P: 15FPS
1280x720P: 25 FPS

Recording

FPSWD1,D1,CIF: 25 FPS
1 Port HDMI : 1080P

Video Output

1Ch. CVBS: WD1
1 Port VGA : 1080P

SATA Interface

2 HDD up to 8TB

Network Interface

1 RJ45 100M

Chassis

Standalone 1U
H.265/H.265+

Other Features

Compression
4K UHD output

720p/1080p/3MP/5MP DVRs

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020
(خط 20)

73

74

75

76

77

78

[Click for More information](#)

DS-7204HUHI-K1

DS-7208HUHI-K1

DS-7208HUHI-K2

DS-7216HUHI-K2

DS-7204HUHI-K1/P

DS-7208HUHI-K2/P



Price (Rials)	۲۲,۱۵۰,۰۰۰	۲۳,۸۰۰,۰۰۰	Call:88500020	۶۷,۳۷۰,۰۰۰	۲۷,۰۵۰,۰۰۰	۴۹,۴۲۰,۰۰۰
DVR Type	4+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	8 + 4 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	8 + 4 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	16 + 8 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	4 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	8 + 4 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP
Analog Video Input	Support Up to 5MP resolution recording	8 Ch. HDTVI/Analog Up to 8MP	8 Ch. HDTVI/Analog Up to 5MP AHD Up to 2MP	Support Up to 8MP resolution recording	Support Up to 5MP resolution recording	Support Up to 5MP resolution recording
IP Video Input	2 Ch. Up to 8MP	4 Ch. Up to 8MP	4 Ch. Up to 5MP	8 Ch. Up to 8MP	2 Ch. Up to 8MP	4 Ch. Up to 8MP
Audio Input/Output	4Ch. In / 1Ch. Out	4Ch. In / 1Ch. Out	4Ch. In / 2Ch. Out	4Ch. In / 1Ch. Out	4Ch. In / 1Ch. Out	4Ch. In / 1Ch. Out
Recording	3MP: 18FPS/5MP: 12FPS 1920x1080P : 25FPS 1280x720P : 25 FPS	3MP: 18FPS/5MP: 12FPS 1920x1080P : 25FPS 1280x720P : 25 FPS	3MP: 18FPS/5MP: 12FPS 1920x1080P : 25FPS 1280x720P : 25 FPS	3MP: 18FPS/5MP: 12FPS 1920x1080P : 25FPS 1280x720P : 25 FPS	3MP: 18FPS/5MP: 12FPS 1920x1080P : 25FPS 1280x720P : 25 FPS	3MP: 18FPS/5MP: 12FPS 1920x1080P : 25FPS 1280x720P : 25 FPS
Video Output	1 Port HDMI 1080P, 1 Port VGA	1 Port VGA CVBS	1 Port VGA : 1080P CVBS: PAL	1 Port HDMI : 4K	1 Port HDMI : 1080P 1 Port VGA CVBS: PAL	1 Port HDMI : 4K 1 Port VGA : 1080P CVBS
SATA Interface	1 HDD up to 10TB	1 HDD up to 10TB	2 HDD up to 6TB	2 HDD up to 10TB	1 HDD up to 10TB	2 HDD up to 10TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 100M	1 RJ45 100M
Chassis	Standalone 1U					
Other Features	H.265/H.265+ COMPR Alarm In/Out : 4/1 Onvif, VCA	H.265/H.265+ COMPR Alarm In/Out : 8/4 Onvif, VCA	H.264 COMPR Alarm In/Out : 8/4	1xE-SATA interface H.265/H.265+ COMPR Alarm In/Out : 16/4	H.265/H.265+ COMPR Alarm In/Out : 4/1 Built-in PoC	H.265/H.265+ COMPR Alarm In/Out : 8/4 Built-in PoC

8MP DVRs

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020
(خط 20)

[Click for More information](#)

DS-7204HTHI-K1

DS-7208HTHI-K2



Price (Rials)

۳۳,۵۷۰,۰۰۰

۶۴,۲۷۰,۰۰۰

DVR Type

4 + 2 Ch. quadruple Hybrid HD-TVI / AHD / Analog / IP	8 + 2 Ch. quadruple Hybrid HD-TVI / AHD / Analog / IP
---	---

Analog Video Input

Support Up to 8MP resolution recording	Support Up to 8MP resolution recording
---	---

IP Video Input

2 Ch. Up to 8MP	4 Ch. Up to 8MP
-----------------	-----------------

Audio Input/Output

4Ch. In / 1Ch. Out	4Ch. In / 1Ch. Out
--------------------	--------------------

Recording

8MP: 10FPS/5MP: 20FPS 1920x1080P : 25FPS 1280x720P : 25 FPS	8MP: 10FPS/5MP: 20FPS 1920x1080P : 25FPS 1280x720P : 25 FPS
---	---

Video Output

1 Port HDMI : 4K 1 Port VGA CVBS	1 Port HDMI : 4K 1 Port VGA CVBS
---	---

SATA Interface

1 HDD up to 8TB	2 HDD up to 8TB
-----------------	------------------------

Network Interface

1 RJ45 100M	1 RJ45 100M
-------------	-------------

Chassis

Standalone 1U H.265/H.265+ COMPR Alarm In/Out : 8/4 Onvif, VCA	Standalone 1U H.265/H.265+ COMPR Alarm In/Out : 8/4 Onvif, VCA
--	--

Other Features